

## PART A: List of publications of Hauke Hennecke

1. Hanke, T., Bartmann, P., Hennecke, H., Kosakowski, H.M., Jaenicke, R., Holler, E., and Böck, A. (1974)  
L-Phenylalanyl-tRNA synthetase of *Escherichia coli* K-10. A reinvestigation of molecular weight and subunit structure.  
Eur. J. Biochem. **43**, 601-607.
2. Hennecke, H. and Böck, A. (1974)  
Modification of phenylalanyl-tRNA synthetase from *Escherichia coli* by histidine-specific reagents. Effects on structure and function.  
Eur. J. Biochem. **50**, 157-166.
3. Hennecke, H. and Böck, A. (1975)  
Altered  $\alpha$  subunits in phenylalanyl-tRNA synthetase from p-fluorophenylalanine-resistant strains of *Escherichia coli*.  
Eur. J. Biochem. **55**, 431-437.
4. Piepersberg, A., Hennecke, H., Engelhard, M., Nass, G., and Böck, A. (1975)  
Cross-reactivity of phenylalanyl-transfer ribonucleic acid ligases from different microorganisms.  
J. Bacteriol. **124**, 1482-1488.
5. Hennecke, H. (1976)  
Use of mutant enzymes to demonstrate the presence of two active sites on phenylalanyl-tRNA synthetase from *Escherichia coli*.  
FEBS Lett. **72**, 182-186.
6. Hennecke, H., Walther, I., and Franz, H. (1977)  
Immunochemical studies on phenylalanyl-tRNA synthetase from *Escherichia coli*.  
Hoppe-Seyler's Z. Physiol. Chem. **358**, 197-208.
7. Hennecke, H., Springer, M., and Böck, A. (1977)  
A specialized transducing  $\lambda$  phage carrying the *Escherichia coli* genes for phenylalanyl-tRNA synthetase.  
Mol. Gen. Genet. **152**, 205-210.
8. Springer, M., Graffe, M., and Hennecke, H. (1977)  
Specialized transducing phage for the initiation factor 3 gene in *Escherichia coli*.  
Proc. Natl. Acad. Sci. USA **74**, 3970-3974.
9. Hennecke, H., Böck, A., Thomale, J., and Nass, G. (1977)  
Threonyl-transfer ribonucleic acid synthetase from *Escherichia coli*: Subunit structure and genetic analysis of the structural gene by means of a mutated enzyme and of a specialized transducing lambda bacteriophage.  
J. Bacteriol. **131**, 943-950.

10. Gröll, J.M., Hennecke, H., Fröhler, J., Thomale, J., Nass, G., and Böck, A. (1979)  
*Escherichia coli* mutants overproducing phenylalanyl- and threonyl-tRNA synthetase.  
J. Bacteriol. **137**, 480-489.
11. Lim, S.T., Hennecke, H., and Scott, D.B. (1979)  
Effect of cyclic guanosine 3',5'-monophosphate on nitrogen fixation in *Rhizobium japonicum*.  
J. Bacteriol. **139**, 256-263.
12. Scott, D.B., Hennecke, H., and Lim, S.T. (1979)  
The biosynthesis of nitrogenase MoFe protein polypeptides in free-living cultures of *Rhizobium japonicum*.  
Biochim. Biophys. Acta **565**, 365-378.
13. Hennecke, H. and Shanmugam, K.T. (1979)  
Temperature control of nitrogen fixation in *Klebsiella pneumoniae*.  
Arch. Microbiol. **123**, 259-265.
14. Shanmugam, K.T. and Hennecke, H. (1980)  
Microbial genetics and nitrogen fixation.  
In: Recent Advances in Biological Nitrogen Fixation (N.S. Subba Rao, ed.) Edward Arnold Publishers, London; pp. 227-256.
15. Hom, S.M., Hennecke, H., and Shanmugam, K.T. (1980)  
Regulation of nitrogenase biosynthesis in *Klebsiella pneumoniae*: Effect of NO<sub>3</sub><sup>-</sup>  
J. Gen. Microbiol. **117**, 169-179.
16. Andersen, K., Shanmugam, K.T., Lim, S.T., Csonka, L.N., Tait, R., Hennecke, H., Scott, D.B., Hom, S.M., Haury, J.F., Valentine, A., and Valentine, R.C. (1980)  
Genetic engineering in agriculture with emphasis on nitrogen fixation.  
Trends Biochem. Sci. **5**, 35-39.
17. Hennecke, H. (1981)  
Regulation of nitrogenase biosynthesis in free-living and symbiotic N<sub>2</sub>-fixing bacteria: a comparison.  
In: Biology of Inorganic Nitrogen and Sulfur (H. Bothe and A. Trebst, eds.)  
Springer Verlag, Heidelberg; pp. 309-316.
18. Shanmugam, K.T., Lim, S.T., Hom, S.S.T., Scott, D.B., and Hennecke, H. (1981)  
Redox control of nitrogen fixation: an overview.  
In: Genetic Engineering for Symbiotic Nitrogen Fixation and Conservation of Nitrogen (J. Lyons et al., eds.) Plenum Press, New York - London; pp. 79-93.
19. Hennecke, H. and Mielenz, J.R. (1981)  
Molecular cloning of *Rhizobium japonicum* DNA in *E.coli* and identification of nitrogen fixation (*nif*) genes.  
In: Genetic Engineering for Symbiotic Nitrogen Fixation and Conservation of Nitrogen (J. Lyons et al., eds.) Plenum Press, New York - London; pp. 41-53.

20. Hennecke, H., Lim, S.T., Scott, D.B., Mielenz, J.R., Tait, R., Andersen, K., and Valentine, R.C. (1981)  
Genetic engineering in agriculture: *Rhizobium japonicum*.  
Ann. N. Y. Acad. Sci. **369**, 15-22.
21. Hennecke, H. (1981)  
Recombinant plasmids carrying nitrogen fixation genes of *Rhizobium japonicum*.  
Nature **291**, 354-355.
22. Kaluza, K. and Hennecke, H. (1981)  
Regulation of nitrogenase messenger RNA synthesis and stability in *Klebsiella pneumoniae*.  
Arch. Microbiol. **130**, 38-43.
23. Hennecke, H. (1982)  
Genetische Regulation der Stickstoff-Fixierung in freilebenden und symbiontischen Bakterien.  
Forum Mikrobiologie **5**, 61-67.
24. Hennecke, H., Fuhrmann, M. and Günther, I. (1982)  
Biochemical analysis of cloned *Rhizobium japonicum* DNA containing the nitrogenase genes.  
Israel Journal of Botany **31**, 95-101.
25. Merrick, M., Hill, S., Hennecke, H., Hahn, M., Dixon, R., and Kennedy, C. (1982)  
Repressor properties of the *nifL* gene product in *Klebsiella pneumoniae*.  
Mol. Gen. Genet. **185**, 75-81.
26. Kaluza, K. and Hennecke, H. (1982)  
The nitrogenase genes of *Klebsiella pneumoniae* are transcribed into a single polycistronic mRNA subsequent to *nifLA* expression.  
FEMS Microbiol. Lett. **15**, 57-60.
27. Fuhrmann, M. and Hennecke, H. (1982)  
Coding properties of cloned nitrogenase structural genes from *Rhizobium japonicum*.  
Mol. Gen. Genet. **187**, 419-425.
28. Hennecke, H., Binder, F., and Günther, I. (1982)  
A novel cloning vector for the direct selection of recombinant DNA in *E.coli*.  
Gene **19**, 231-234.
29. Hennecke, H. and Fuhrmann, M (1983).  
Biochemical genetics of nitrogen fixation in *Rhizobium*.  
In: Nitrogen Fixation: The Chemical-Biochemical-Genetic Interface (A. Müller and W.E. Newton, eds.) Plenum Press, New York - London; pp. 135-148.
30. Hennecke, H., Fuhrmann, M., Hahn, M., Kaluza, K., Regensburger, B., and Wirth, R. (1983)  
The nitrogenase genes of *Rhizobium japonicum*.  
In: Molecular Genetics of the Bacteria-Plant Interaction (A. Pühler, ed.) Springer Verlag, Heidelberg; pp. 141-148.

31. Regensburger, B. and Hennecke, H. (1983)  
RNA polymerase from *Rhizobium japonicum*.  
Arch. Microbiol. **135**, 103-109.
32. Kaluza, K., Fuhrmann, M., Hahn, M., Regensburger, B., and Hennecke, H. (1983)  
In *Rhizobium japonicum* the nitrogenase genes *nifH* and *nifDK* are separated.  
J. Bacteriol. **155**, 915-918.
33. Pecher, A., Zinoni, F., Jatisatienr, C., Wirth, R., Hennecke, H., and Böck, A. (1983)  
On the redox control of synthesis of anaerobically induced enzymes in Enterobacteriaceae.  
Arch. Microbiol. **136**, 131-136.
34. Hahn, M. and Hennecke, H. (1984)  
Localized mutagenesis in *Rhizobium japonicum*.  
Mol. Gen. Genet. **193**, 46-52.
35. Regensburger, B. and Hennecke, H. (1984)  
Free-living and symbiotic nitrogen fixing ability of *Rhizobium japonicum* is unaffected by rifampicin resistance mutations.  
FEMS Microbiol. Lett. **21**, 77-81.
36. Fuhrmann, M. and Hennecke, H. (1984)  
*Rhizobium japonicum* nitrogenase Fe protein gene (*nifH*).  
J. Bacteriol. **158**, 1005-1011.
37. Kaluza, K. and Hennecke, H. (1984)  
Fine-structure analysis of the *nifDK* operon encoding the  $\alpha$  and  $\beta$  subunits of dinitrogenase from *Rhizobium japonicum*.  
Mol. Gen. Genet. **196**, 35-42.
38. Hahn, M., Meyer, L., Studer, D., Regensburger, B., and Hennecke, H. (1984)  
Insertion and deletion mutations within the *nif* region of *Rhizobium japonicum*.  
Plant Mol. Biol. **3**, 159-168.
39. Hennecke, H. (1984)  
Organization of *Rhizobium* symbiotic genes.  
In: Advances in Nitrogen Fixation Research (C. Veeger and W.E. Newton, eds.)  
Nijhoff/Junk Publishers, The Hague; pp. 667-668.
40. Fischer, H.-M. and Hennecke, H. (1984)  
Linkage map of the *Rhizobium japonicum* *nifH* and *nifDK* operons encoding the polypeptides of the nitrogenase enzyme complex.  
Mol. Gen. Genet. **196**, 537-540.
41. Hennecke, H. (1984)  
Gentechnologie an Bodenbakterien zum Nutzen der Landwirtschaft.  
Bulletin der Eidgenössischen Technischen Hochschule Zürich, No. 184, February 1984
- 41a. *ibid.*, Neue Zürcher Zeitung, No.74, March 28, 1984

42. Thöny, B., Kaluza, K., and Hennecke, H. (1985)  
Structural and functional homology between the  $\alpha$  and  $\beta$  subunits of the nitrogenase MoFe protein as revealed by sequencing the *Rhizobium japonicum nifK* gene.  
Mol. Gen. Genet. **198**, 441-448.
43. Kaluza, K., Hahn, M., and Hennecke, H. (1985)  
Repeated sequences similar to insertion elements clustered around the *nif* region of the *Rhizobium japonicum* genome.  
J. Bacteriol. **162**, 535-542.
44. Alvarez-Morales, A. and Hennecke, H. (1985)  
Expression of *Rhizobium japonicum nifH* and *nifDK* operons can be activated by the *Klebsiella pneumoniae nifA* protein but not by the product of *ntrC*.  
Mol. Gen. Genet. **199**, 306-314.
45. Fuhrmann, M., Fischer, H.-M., and Hennecke, H. (1985)  
Mapping of *Rhizobium japonicum nifB*-, *fixBC*-, and *fixA*-like genes and identification of the *fixA* promoter.  
Mol. Gen. Genet. **199**, 315-322.
46. Kaluza, K., Alvarez-Morales, A., and Hennecke, H. (1985)  
Oligonucleotide-directed mutagenesis of the *Rhizobium japonicum nifH* promoter: functional evidence for the involvement of the -24 region in *ntrA*- plus *nifA*-mediated gene activation.  
FEBS Lett. **188**, 37-42.
47. Hennecke, H., Kaluza, K., Thöny, B., Fuhrmann, M., Ludwig, W., and Stackebrandt, E. (1985)  
Concurrent evolution of nitrogenase genes and 16S rRNA in *Rhizobium* species and other nitrogen fixing bacteria.  
Arch. Microbiol. **142**, 342-348.
48. Hennecke, H., Alvarez-Morales, A., Betancourt-Alvarez, M., Ebeling, S., Filser, M., Fischer, H.-M., Gubler, M., Hahn, M., Kaluza, K., Lamb, J.W., Meyer, L., Regensburger, B., Studer, D., and Weber, J. (1985)  
Organization and regulation of symbiotic nitrogen fixation genes from *Bradyrhizobium japonicum*.  
In: Nitrogen Fixation Research Progress (H.J. Evans, P.J. Bottomley and W.E. Newton, eds.) Martinus Nijhoff Publishers, Dordrecht; pp. 157-163.
49. Hennecke, H. (1985/1986)  
Molekulare Biologie der symbiontischen Stickstoff-Fixierung.  
Bulletin der Eidgenössischen Technischen Hochschule Zürich, No. 195, Oktober 1985
- 49a. *ibid.*, Vierteljahresschrift der Naturforschenden Gesellschaft in Zürich **131**, 213-218 (1986)
50. Hahn, M., Hennecke, H., and Kaluza, K. (1986)  
Moderne Methoden der Mutagenese bakterieller Gene.  
Swiss Biotech. **4**(No.1a), 48-51.

51. Lamb, J.W. and Hennecke, H. (1986)  
In *Bradyrhizobium japonicum* the common nodulation genes, *nodABC*, are linked to *nifA* and *fixA*.  
Mol. Gen. Genet. **202**, 512-517.
52. Gubler, M. and Hennecke, H. (1986)  
*FixA*, *B* and *C* genes are essential for symbiotic and free-living, microaerobic nitrogen fixation.  
FEBS Lett. **200**, 186-192.
53. Hennecke, H. (1986)  
Gentechnologie an Bodenbakterien zum Nutzen der Landwirtschaft.  
Swiss Biotech. **4**(No.2), 41-44.
54. Regensburger, B., Meyer, L., Filser, M., Weber, J., Studer, D., Lamb, J.W., Fischer, H.-M., Hahn, M., and Hennecke, H. (1986)  
*Bradyrhizobium japonicum* mutants defective in root-nodule bacteroid development and nitrogen fixation.  
Arch. Microbiol. **144**, 355-366.
55. Alvarez-Morales, A., Betancourt-Alvarez, M., Kaluza, K. and Hennecke, H. (1986)  
Activation of *Bradyrhizobium japonicum nifH* and *nifDK* operons is dependent on promoter-upstream DNA sequences.  
Nucleic Acids Res. **14**, 4207-4227.
56. Fischer, H.-M., Alvarez-Morales, A., and Hennecke, H. (1986)  
The pleiotropic nature of symbiotic regulatory mutants: *Bradyrhizobium japonicum nifA* gene is involved in control of *nif* gene expression and formation of determinate symbiosis.  
EMBO J. **5**, 1165-1173.
57. Lamb, J.W., Regensburger, B., Fischer, H.-M., Göttfert, M., Meyer, L., Ebeling, S., Studer, D., Hahn, M., and Hennecke, H. (1986)  
*Bradyrhizobium japonicum* genes involved in soybean root-nodule development.  
In: Recognition in Microbe-Plant Symbiotic and Pathogenic Interactions (B. Lugtenberg, ed.) Springer Verlag, Heidelberg; pp. 79-86.
58. Hennecke, H., Fischer, H.-M., Ebeling, S., Gubler, M., Thöny, B., Göttfert, M., Lamb, J.W., Hahn, M., Ramseier, T., Regensburger, B., Alvarez-Morales, A., and Studer, D. (1987)  
*Nif*, *fix* and *nod* gene clusters in *Bradyrhizobium japonicum*, and *nifA*-mediated control of symbiotic nitrogen fixation.  
In: Molecular Genetics of Plant-Microbe Interactions (D.P.S. Verma and N. Brisson, eds.) Martinus Nijhoff Publishers, Dordrecht; pp. 191-196.
59. Hahn, M., Dreyer, H., and Hennecke, H. (1987)  
On the competition problem in legume inoculation by rhizobia.  
Schweiz. Landw. Forschung **26**(1/2), 91-98.
60. Ebeling, S., Hahn, M., Fischer, H.-M., and Hennecke, H. (1987)  
Identification of *nifE*-, *nifN*- and *nifS*-like genes in *Bradyrhizobium japonicum*.  
Mol. Gen. Genet. **207**, 503-508.

61. Acuña, G., Alvarez-Morales, A., Hahn, M., and Hennecke, H. (1987)  
A vector for the site-directed, genomic integration of foreign DNA into soybean root-nodule bacteria.  
*Plant Mol. Biol.* **9**, 41-50.
62. Fischer, H.-M. and Hennecke, H. (1987)  
Direct response of *Bradyrhizobium japonicum nifA*-mediated *nif* gene regulation to cellular oxygen status.  
*Mol. Gen. Genet.* **209**, 621-626.
63. Hahn, M. and Hennecke, H. (1987)  
Mapping of a *Bradyrhizobium japonicum* DNA region carrying genes for symbiosis and an asymmetric accumulation of reiterated sequences.  
*Appl. Environ. Microbiol.* **53**, 2247-2252.
64. Hahn, M. and Hennecke, H. (1987)  
Conservation of a symbiotic DNA region in soybean root-nodule bacteria.  
*Appl. Environ. Microbiol.* **53**, 2253-2255.
65. Thöny, B., Fischer, H.-M., Anthamatten, D., Bruderer, T., and Hennecke, H. (1987)  
The symbiotic nitrogen fixation regulatory operon (*fixRnifA*) of *Bradyrhizobium japonicum* is expressed aerobically and is subject to a novel, *nifA*-independent type of activation.  
*Nucleic Acids Res.* **15**, 8479-8499.
66. Göttfert, M., Thöny, B. und Hennecke, H. (1987)  
Einsatz von synthetischen Oligonukleotiden in der mikrobiellen Genetik.  
*GIT Fachzeitschr. Laboratorium* **31**(10), 888-890.
67. Studer, D., Gludemans, T., Franssen, H.J., Fischer, H.-M., Bisseling, T., and Hennecke, H. (1987)  
Involvement of the bacterial nitrogen fixation regulatory gene (*nifA*) in control of nodule-specific host-plant gene expression.  
*Eur. J. Cell Biol.* **45**, 177-184.
68. Ebeling, S., Noti, J.D., and Hennecke, H. (1987)  
Mapping and nucleotide sequence of the *nifS* promoter of *Bradyrhizobium japonicum*.  
*Nucleic Acids Res.* **15**, 9598.
69. Hennecke, H. (1987)  
Ecology and biotechnology of microbial nitrogen fixation.  
*Chimia* **41**, 370-375.
70. Hennecke, H. (1987)  
Bakterien für die Stickstoffversorgung von Pflanzen.  
Eidgenössische Technische Hochschule, Zürich, Jahresbericht 1987, pp. 56-60.
71. Hahn, M. and Hennecke, H. (1988)  
Cloning and mapping of a novel nodulation region from *Bradyrhizobium japonicum* by genetic complementation of a deletion mutant.  
*Appl. Environ. Microbiol.* **54**, 55-61.

72. Göttfert, M., Weber, J., and Hennecke, H. (1988)  
Induction of a *nodA-lacZ* fusion in *Bradyrhizobium japonicum* by an isoflavone.  
*J. Plant Physiol.* **132**, 394-397.
73. Gubler, M. and Hennecke, H. (1988)  
Regulation of the *fixA* gene and *fixBC* operon in *Bradyrhizobium japonicum*.  
*J. Bacteriol.* **170**, 1205-1214.
74. Ebeling, S., Noti, J.D., and Hennecke, H. (1988)  
Identification of a new *Bradyrhizobium japonicum* gene (*frxA*) encoding a ferredoxinlike protein.  
*J. Bacteriol.* **170**, 1999-2001.
75. Auling, G., Busse, J., Hahn, M., Hennecke, H., Kroppenstedt, R.-M., Probst, A., and Stackebrandt, E. (1988)  
Phylogenetic heterogeneity and chemotaxonomic properties of certain Gram-negative aerobic carboxydobacteria.  
*Syst. Appl. Microbiol.* **10**, 264-272.
76. Fischer, H.-M., Bruderer, T., and Hennecke, H. (1988)  
Essential and non-essential domains in the *Bradyrhizobium japonicum* NifA protein: Identification of indispensable cysteine residues potentially involved in redox reactivity and/or metal binding.  
*Nucleic Acids Res.* **16**, 2207-2224.
77. Fischer, H.-M., Gubler, M., Thöny, B., Anthamatten, D., Ebeling, S., Zürcher, T., and Hennecke, H. (1988)  
The function and regulation of symbiotic nitrogen fixation genes in *Bradyrhizobium japonicum*.  
In: *Physiology and Biochemistry of Plant-Microbial Interactions* (N.T. Keen, T. Kosuge, L.L. Walling, eds.) American Society of Plant Physiologists, Rockville MD, pp. 67-75.
78. Hennecke, H., Fischer, H.-M., Gubler, M., Thöny, B., Anthamatten, D., Kullik, I., Ebeling, S., Fritsche, S., and Zürcher, T. (1988)  
Regulation of *nif* and *fix* genes in *Bradyrhizobium japonicum* occurs by a cascade of two consecutive gene activation steps of which the second one is oxygen sensitive.  
In: *Nitrogen Fixation: Hundred Years After* (Bothe, H., de Bruijn, F. and Newton, W.E., eds.) Gustav Fischer Verlag, Stuttgart-New York; pp. 339-344.
79. Hennecke, H., Meyer, L., Göttfert, M. and Fischer, H.M. (1988)  
Genetics of the *Bradyrhizobium japonicum* - soybean symbiosis: Recent developments on genes for nodulation, bacteroid respiration, and regulation of nitrogen fixation. In: *Molecular Genetics of Plant-Microbe Interactions 1988* (R. Palacios and D.P.S. Verma, eds.) The American Phytopathological Society, St. Paul, Minnesota; pp. 118-123.
80. Göttfert, M., Lamb, J.W., Gasser, R., Semenza, J., and Hennecke, H. (1989)  
Mutational analysis of the *Bradyrhizobium japonicum* common *nod* genes and further *nod* box-linked genomic DNA regions.  
*Mol. Gen. Genet.* **215**, 407-415.



81. Gubler, M., Zürcher, T. and Hennecke H. (1989)  
The *Bradyrhizobium japonicum* *fixBCX* operon: identification of *fixX*, and of a 5' mRNA region affecting the level of the *fixBCX* transcript.  
Mol. Microbiol. **3**, 141-148.
82. Kullik, I., Hennecke, H., and Fischer, H.M. (1989)  
Inhibition of *Bradyrhizobium japonicum* *nifA*-dependent *nif* gene activation occurs at the NifA protein level and is irreversible.  
Arch. Microbiol. **151**, 191-197.
83. Ramseier, T., Kaluza, B., Studer, D., Gloudemans, T., Bisseling, T., Jordan, P.M., Jones, R.M., Zuber, M. and Hennecke, H. (1989)  
Cloning of a DNA region from *Bradyrhizobium japonicum* encoding pleiotropic functions in heme metabolism and respiration.  
Arch. Microbiol. **151**, 203-212.
84. Thöny-Meyer, L., Stax, D., and Hennecke, H. (1989)  
An unusual gene cluster for the cytochrome *bc<sub>1</sub>* complex in *Bradyrhizobium japonicum* and its requirement for effective root nodule symbiosis.  
Cell **57**, 683-697.
85. Birkmann, A., Hennecke, H., and Böck, A. (1989)  
Construction of chimeric promoter regions by exchange of the upstream regulatory sequences from *fdhF* and *nif* genes.  
Mol. Microbiol. **3**, 697-703.
86. Rossbach, S., Gloudemans, T., Bisseling, T., Studer, D., Kaluza, B., Ebeling, S., and Hennecke, H. (1989)  
Genetic and physiologic characterization of a *Bradyrhizobium japonicum* mutant defective in early bacteroid development.  
Mol. Plant-Microbe Interact. **2**, 233-240.
87. Thöny, B., Anthamatten, D., and Hennecke, H. (1989)  
Dual control of the *Bradyrhizobium japonicum* symbiotic nitrogen fixation regulatory operon *fixRnifA*: Analysis of *cis*- and *trans*-acting elements.  
J. Bacteriol. **171**, 4162-4169.
88. Thöny, B. and Hennecke, H. (1989)  
The -24/-12 promoter comes of age.  
FEMS Microbiol. Rev. **63**, 341-357.
89. Göttfert, M., Grob, P., Rossbach, S., Fischer, H.M., Thöny, B., Anthamatten, D., Kullik, I., and Hennecke, H. (1989)  
Bacterial genes involved in the communication between soybean and its root nodule symbiont, *Bradyrhizobium japonicum*. In: Signal Molecules in Plants and Plant-Microbe Interactions (B.J.J. Lugtenberg, ed.) Springer Verlag, Heidelberg; pp. 295-301.
90. Fischer, H.-M., Fritsche, S., Herzog, B., and Hennecke, H. (1989)  
Critical spacing between two essential cysteine residues in the inter-domain linker of the *Bradyrhizobium japonicum* NifA protein.  
FEBS Lett. **255**, 167-171.

91. Göttfert, M., Grob, P., and Hennecke, H. (1990)  
Proposed regulatory pathway encoded by the *nodV* and *nodW* genes, determinants of host specificity in *Bradyrhizobium japonicum*.  
Proc. Natl. Acad. Sci. USA. **87**, 2680-2684.
92. Hennecke, H. (1990)  
Nitrogen fixation genes involved in the *Bradyrhizobium japonicum*-soybean symbiosis.  
FEBS Lett. **268**, 422-426.
93. Hennecke, H. (1990)  
Regulation of bacterial gene expression by metal-protein complexes.  
Mol. Microbiol. **4**, 1621-1628.
94. Göttfert, M., Hitz, S., and Hennecke, H. (1990)  
Identification of *nodS* and *nodU*, two inducible genes inserted between the *Bradyrhizobium japonicum nodYABC* and *nodIJ* genes.  
Mol. Plant-Microbe Interact. **3**, 308-316.
95. Aguilar, O.M., Taormino, J., Thöny, B., Ramseier, T., Hennecke, H., and Szalay, A.A. (1990)  
The *nifEN* genes participating in FeMo cofactor biosynthesis and genes encoding dinitrogenase are part of the same operon in *Bradyrhizobium* species  
Mol. Gen. Genet. **224**, 413-420.
96. Bott, M., Bolliger, M., and Hennecke, H. (1990)  
Genetic analysis of the cytochrome *c-aa<sub>3</sub>* branch of the *Bradyrhizobium japonicum* respiratory chain.  
Mol. Microbiol. **4**, 2147-2157.
97. Hennecke, H., Bott, M., Ramseier, T., Thöny-Meyer, L., Fischer, H.-M., Anthamatten, D., Kullik, I., and Thöny, B. (1990)  
A genetic approach to analyze the critical role of oxygen in bacteroid metabolism. In: Nitrogen Fixation: Achievements and Objectives (P.M. Gresshoff, L.E. Roth, G. Stacey, and W.E. Newton, eds.) Chapman and Hall, New York-London, pp. 293-300.
98. Fischer, H.M., Anthamatten, D., Kullik, I., Morett, E., Acuña, G., and Hennecke, H. (1991)  
Complex regulatory network for *nif* and *fix* gene expression in *Bradyrhizobium japonicum*. In: Advances in Molecular Genetics of Plant-Microbe Interactions, Vol. 1 (H. Hennecke and D.P.S. Verma, eds.) Kluwer Academic Publishers, Dordrecht, pp. 203-210.
99. Hennecke, H. and Verma, D.P.S. (1991)  
Advances in Molecular Genetics of Plant-Microbe Interactions, Vol. 1, Kluwer Academic Publishers, Dordrecht, 482 pp.
100. Rossbach, S. and Hennecke, H. (1991)  
Identification of *glyA* as a symbiotically essential gene in *Bradyrhizobium japonicum*.  
Mol. Microbiol. **5**, 39-47.
101. Anthamatten, D. and Hennecke, H. (1991)  
The regulatory status of the *fixL*- and *fixJ*-like genes in *Bradyrhizobium japonicum* may be different from that in *Rhizobium meliloti*.  
Mol. Gen. Genet. **225**, 38-48.

102. Sadowsky, M.J., Cregan, P.B., Göttfert, M., Sharma, A., Gerhold, D., Rodriguez-Quinones, F., Keyser, H.H., Hennecke, H., and Stacey, G. (1991)  
The *Bradyrhizobium japonicum nola* gene and its involvement in the genotype-specific nodulation of soybeans.  
Proc. Natl. Acad. Sci. USA **88**, 637-641.
103. Kullik, I., Fritsche, S., Knobel, H., Sanjuan, J., Hennecke H., and Fischer, H.-M. (1991)  
*Bradyrhizobium japonicum* has two differentially regulated, functional homologs of the  $\sigma^{54}$  gene (*rpoN*).  
J. Bacteriol. **173**, 1125-1138.
104. Arigoni, F., Kaminski, A., Hennecke, H., and Elmerich, C. (1991)  
Nucleotide sequence of the *fixABC* region of *Azorhizobium caulinodans* ORS571: Similarity of the *fixB* product with eukaryotic flavoproteins, characterization of *fixX*, and identification of *nifW*.  
Mol. Gen. Genet. **225**, 514-520.
105. Parniske, M., Fischer, H.-M., Hennecke, H., and Werner, D. (1991)  
Accumulation of the phytoalexin glyceollin I in soybean nodules infected by a *Bradyrhizobium japonicum nifA* mutant.  
Z. Naturforsch. **46c**, 318-320.
106. Acuña, G., Ebeling, S., and Hennecke, H. (1991)  
Cloning, sequencing and mutational analysis of the *Bradyrhizobium japonicum fumC*-like gene: evidence for the existence of two different fumarases.  
J. Gen. Microbiol. **137**, 991-1000.
107. Ramseier, T.M., Winteler, H.V., and Hennecke, H. (1991)  
Discovery and sequence analysis of bacterial genes involved in the biogenesis of *c*-type cytochromes.  
J. Biol. Chem. **266**, 7793-7803.
108. Thöny-Meyer, L., James, P., and Hennecke, H. (1991)  
From one gene to two proteins: The biogenesis of cytochromes *b* and *c*<sub>1</sub> in *Bradyrhizobium japonicum*.  
Proc. Natl. Acad. Sci. USA **88**, 5001-5005.
109. Morett, E., Fischer, H.-M., and Hennecke, H. (1991)  
Influence of oxygen on DNA binding, positive control, and stability of the *Bradyrhizobium japonicum* NifA regulatory protein.  
J. Bacteriol. **173**, 3478-3487.
110. Kast, P. and Hennecke, H. (1991)  
Amino acid substrate specificity of *Escherichia coli* phenylalanyl-tRNA synthetase altered by distinct mutations.  
J. Mol. Biol. **222**, 99-124.
111. Ebeling, S., Kündig, C., and Hennecke, H. (1991)  
Discovery of a rhizobial RNA that is essential for symbiotic root nodule development.  
J. Bacteriol. **173**, 6373-6382.

112. Bott, M., Ritz, D., and Hennecke, H. (1991)  
The *Bradyrhizobium japonicum* *cycM* gene encodes a membrane-anchored homolog of mitochondrial cytochrome *c*.  
*J. Bacteriol.* **173**, 6766-6772.
113. Appleby, C.A., James, P., and Hennecke, H. (1991)  
Characterization of three soluble *c*-type cytochromes isolated from soybean root nodule bacteroids of *Bradyrhizobium japonicum* strain CC705.  
*FEMS Microbiol. Lett.* **83**, 137-144.
114. Rossbach, S., Loferer, H., Acuña, G., Appleby, C.A., and Hennecke, H. (1991)  
Cloning, sequencing and mutational analysis of the cytochrome *c*<sub>552</sub> gene (*cycB*) from *Bradyrhizobium japonicum* strain 110.  
*FEMS Microbiol. Lett.* **83**, 145-152.
115. Kast, P., Wehrli, C., and Hennecke, H. (1991)  
Impaired affinity for phenylalanine in *Escherichia coli* phenylalanyl-tRNA synthetase mutant caused by Gly-to-Asp exchange in motif 2 of class II tRNA synthetases.  
*FEBS Lett.* **293**, 160-163.
116. Kast, P., Keller, B., and Hennecke, H. (1992)  
Identification of the *pheS5* mutation, which causes thermosensitivity of *Escherichia coli* mutant NP37.  
*J. Bacteriol.* **174**, 1686-1689.
117. Göttfert, M., Holzhäuser, D., Bäni, D., and Hennecke, H. (1992)  
Structural and functional analysis of two different *nodD* genes in *Bradyrhizobium japonicum* USDA110.  
*Mol. Plant-Microbe Interact.* **5**, 257-265.
118. Anthamatten, D., Scherb, B., and Hennecke, H. (1992)  
Characterization of a *fixLJ*-regulated *Bradyrhizobium japonicum* gene sharing similarity with the *Escherichia coli* *fnr* and *Rhizobium meliloti* *fixK* genes.  
*J. Bacteriol.* **174**, 2111-2120.
119. Keller, B., Kast, P., and Hennecke, H. (1992)  
Cloning and sequence analysis of the phenylalanyl-tRNA synthetase genes (*pheST*) from *Thermus thermophilus*  
*FEBS Lett.* **301**, 83-88.
120. Thöny-Meyer, L., Böck, A., and Hennecke, H. (1992)  
Prokaryotic polyprotein precursors  
*FEBS Lett.* **307**, 62-65.
121. Studer, D., Hennecke, H., and Müller, M. (1992)  
High pressure freezing of soybean nodules leads to an improved preservation of ultrastructure.  
*Planta* **188**, 155-163.

122. Kuykendall, L.D., Hahn, M., Hennecke, H., and Hunter, W.J. (1992)  
Genetically improved rhizobia and their use in agriculture.  
In: Biological Nitrogen Fixation and Sustainability of Tropical Agriculture (K. Mulongoy, M. Gueye, and D.S.C. Spencer, eds.) John Wiley & Sons, Chichester, pp. 211-218.
123. Bott, M., Preisig, O., and Hennecke, H. (1992)  
Genes for a second terminal oxidase in *Bradyrhizobium japonicum*  
Arch. Microbiol. **158**, 335-343.
124. Hennecke, H., Anthamatten, D., Babst, M., Bott, M., Fischer, H.M., Kaspar, T., Kullik, I., Loferer, H., Preisig, O., Ritz, D., and Weidenhaupt, M. (1993)  
Genetic and physiologic requirements for optimal bacteroid function in the *Bradyrhizobium japonicum*-soybean symbiosis.  
In: Advances in Molecular Genetics of Plant-Microbe Interactions, Vol. II (E. Nester and D.P.S. Verma, eds.) Kluwer Academic Publishers, Dordrecht, pp. 199-207.
125. Kündig, C., Hennecke, H., and Göttfert, M. (1993)  
Correlated physical and genetic map of the *Bradyrhizobium japonicum* 110 genome.  
J. Bacteriol. **175**, 613-622.
126. Preisig, O., Anthamatten, D., and Hennecke, H. (1993)  
Genes for a microaerobically induced oxidase complex in *Bradyrhizobium japonicum* are essential for a nitrogen fixing endosymbiosis.  
Proc. Natl. Acad. Sci. USA **90**, 3309-3313.
127. Weidenhaupt, M., Fischer, H.M., Acuña, G., Sanjuan, J., and Hennecke, H. (1993)  
Use of a promoter-probe vector system in the cloning of a new NifA-dependent promoter (*ndp*) from *Bradyrhizobium japonicum*.  
Gene **129**, 33-40.
128. Hennecke, H. (1993)  
The role of respiration in symbiotic nitrogen fixation.  
In: New Horizons in Nitrogen Fixation (R. Palacios, J. Mora and W.E. Newton, eds.) Kluwer Academic Publishers, Dordrecht, pp. 55-64.
129. Fischer, H.M., Acuña, G., Anthamatten, D., Arigoni, F., Babst, M., Brouwer, P., Kaspar, T., Kullik, I., Preisig, O., Scherb, B., Weidenhaupt, M., and Hennecke, H. (1993)  
Two oxygen-responsive regulatory cascades control nitrogen fixation genes in *Bradyrhizobium japonicum*.  
In: New Horizons in Nitrogen Fixation (R. Palacios, J. Mora and W.E. Newton, eds.) Kluwer Academic Publishers, Dordrecht, pp. 411-416.
130. Ritz, D., Bott, M., and Hennecke, H. (1993)  
Formation of several bacterial *c*-type cytochromes requires a novel membrane-anchored protein that faces the periplasm.  
Mol. Microbiol. **9**, 729-740.
131. Fischer, H.M., Babst, M., Kaspar, T., Acuña, G., Arigoni, F., and Hennecke, H. (1993)  
One member of a *groESL*-like chaperonin multigene family in *Bradyrhizobium japonicum* is co-regulated with symbiotic nitrogen fixation genes.  
EMBO J. **12**, 2901-2912.

132. Loferer, H., Bott, M., and Hennecke, H. (1993)  
*Bradyrhizobium japonicum* TlpA, a novel membrane-anchored thioredoxin-like protein that is involved in the biogenesis of cytochrome *aa3* and development of symbiosis.  
EMBO J. **12**, 3373-3383.
133. Grob, P., Michel, P., Hennecke, H., and Göttfert, M. (1993)  
A novel response-regulator is able to suppress the nodulation defect of a *Bradyrhizobium japonicum* *nodW* mutant.  
Mol. Gen. Genet. **241**, 531-541.
134. Sanjuan, J., Grob, P., Göttfert, M., Hennecke, H., and Stacey, G. (1994)  
NodW is essential for full expression of the common nodulation genes in *Bradyrhizobium japonicum*.  
Mol. Plant-Microbe Interact. **7**, 364-369.
135. Loferer, H. and Hennecke, H. (1994)  
Protein disulfide oxidoreductases in bacteria.  
Trends Biochem. Sci. **19**, 169-171.
136. Thöny-Meyer, L., Ritz, D., and Hennecke, H. (1994)  
Cytochrome *c* biogenesis in bacteria: a possible pathway begins to emerge.  
Mol. Microbiol. **12**, 1-9.
137. Grob, P., Hennecke, H., and Göttfert, M. (1994)  
Cross-talk between the two-component regulatory systems NodVW and NwsAB of *Bradyrhizobium japonicum*.  
FEMS Microbiol. Lett. **120**, 349-353.
138. Hopper, S., Babst, M., Schlenzog, V., Fischer, H.-M., Hennecke, H., and Böck, A. (1994)  
Regulated expression *in vitro* of genes coding for formate hydrogenlyase components of *Escherichia coli*.  
J. Biol. Chem. **269**, 19597-19604.
139. Loferer, H. and Hennecke, H. (1994)  
Expression, purification and functional properties of *Bradyrhizobium japonicum* TlpA, a thioredoxin-like protein.  
Eur. J. Biochem. **223**, 339-344.
140. Ibba, M., Kast, P., and Hennecke, H. (1994)  
Substrate specificity is determined by amino acid binding pocket size in *Escherichia coli* phenylalanyl-tRNA synthetase.  
Biochemistry **33**, 7107-7112.
141. Ibba, M. and Hennecke, H. (1994)  
Towards engineering proteins by site-directed incorporation *in vivo* of non-natural amino acids.  
Bio/Technology **12**, 678-682.

142. Thöny-Meyer, L., Loferer, H., Ritz, D., and Hennecke, H. (1994)  
Bacterial genes and proteins involved in the biogenesis of *c*-type cytochromes and terminal oxidases.  
*Biochim. Biophys. Acta* **1187**, 260-263.
143. Keller, B. and Hennecke, H. (1994)  
Cloning and sequencing of the *pheU* gene for tRNA<sup>Phe</sup> of *Thermus thermophilus* HB8, and genomic mapping of the *pheU* and *pheST* genes.  
*FEMS Microbiol. Lett.* **123**, 275-280.
144. Thöny-Meyer, L., Beck, C., Preisig, O., and Hennecke, H. (1994)  
The *ccoNOQP* gene cluster codes for a *cb*-type cytochrome oxidase that functions in aerobic respiration of *Rhodobacter capsulatus*.  
*Mol. Microbiol.* **14**, 705-716.
145. Hennecke, H., Preisig, O., Zufferey, R., and Thöny-Meyer, L. (1994)  
Biochemical genetics of respiration in the *Bradyrhizobium japonicum*-soybean symbiosis.  
In: *Advances in Molecular Genetics of Plant-Microbe Interactions*, Vol. III (M.J. Daniels, J.A. Downie and A.E. Osbourn, eds.) Kluwer Academic Publishers, Dordrecht, pp. 155-160.
146. Fischer, H.-M., Babst, M., Brouwer, P., and Hennecke, H. (1994)  
Products of a differentially regulated *groESL* multigene family in *Bradyrhizobium japonicum* are required for symbiotic nitrogen fixation.  
In: *Proceedings of the 1st European Nitrogen Fixation Conference* (G.B. Kiss and G. Endre, eds.) Officina Press, Szeged, pp. 33-37.
147. Göttfert, M., Grob, P., and Hennecke, H. (1994)  
Influence of the two-component regulatory systems NodVW and NwsAB on *nod* gene control in *Bradyrhizobium japonicum*.  
In: *Proceedings of the 1st European Nitrogen Fixation Conference* (G.B. Kiss and G. Endre, eds.) Officina Press, Szeged, pp. 137-141.
148. Ibba, M., Johnson, C.M., Hennecke, H., and Fersht, A.R. (1995)  
Increased rates of tRNA charging through modification of the enzyme-aminoacyl-adenylate complex of phenylalanyl-tRNA synthetase.  
*FEBS Lett.* **358**, 293-296.
149. Ritz, D., Thöny-Meyer, L., and Hennecke, H. (1995)  
The *cycHJKL* gene cluster plays an essential role in the biogenesis of *c*-type cytochromes in *Bradyrhizobium japonicum*.  
*Mol. Gen. Genet.* **247**, 27-38.
150. Barrios, H., Fischer, H.-M., Hennecke, H., and Morett, E. (1995)  
Overlapping promoters for two different RNA polymerase holoenzymes control *Bradyrhizobium japonicum nifA* expression.  
*J. Bacteriol.* **177**, 1760-1765.

151. Bott, M., Thöny-Meyer, L., Loferer, H., Rossbach, S., Tully, R.E., Keister, D., Appleby, C.A., and Hennecke, H. (1995)  
*Bradyrhizobium japonicum* cytochrome *c*<sub>550</sub> is required for nitrate respiration but not for symbiotic nitrogen fixation.  
*J. Bacteriol.* **177**, 2214-2217.
152. Ibba, M. and Hennecke, H. (1995)  
Relaxing the substrate specificity of an aminoacyl-tRNA synthetase allows *in vitro* and *in vivo* synthesis of proteins containing unnatural amino acids.  
*FEBS Lett.* **364**, 272-275.
153. Thöny-Meyer, L., Fischer, F., Künzler, P., Ritz, D., and Hennecke, H. (1995)  
*Escherichia coli* genes required for the cytochrome *c* maturation.  
*J. Bacteriol.* **177**, 4321-4326.
154. Weidenhaupt, M., Schmid-Appert, M., Thöny, B., Hennecke, H., and Fischer, H.-M. (1995)  
A new *Bradyrhizobium japonicum* gene required for free-living growth and bacteroid development is conserved in other bacteria and in plants.  
*Mol. Plant-Microbe Interact.* **8**, 454-464.
155. Hennecke, H. (1995)  
Stickstofffixierung für die Nahrungsmittelgewinnung.  
Verhandlungen der Gesellschaft Deutscher Naturforscher und Ärzte, 118. Versammlung, Hamburg, pp. 297-309.
156. Kündig, C., Beck, C., Hennecke, H., and Göttfert, M. (1995)  
A single rRNA gene region in *Bradyrhizobium japonicum*.  
*J. Bacteriol.* **177**, 5151-5154.
157. Loferer, H., Wunderlich, M., Hennecke, H., and Glockshuber, R. (1995)  
A bacterial thioredoxin-like protein that is exposed to the periplasm has redox properties comparable with those of cytoplasmic thioredoxins.  
*J. Biol. Chem.* **270**, 26178-26183.
158. Thöny-Meyer, L., Preisig, O., Zufferey, R., and Hennecke, H. (1995)  
The role of microaerobically induced *cb*-type cytochrome oxidase in symbiotic nitrogen fixation.  
In: Nitrogen Fixation: Fundamentals and Applications (I.A. Tikhonovich, N.A. Provorov, V.I. Romanov, and W.E. Newton, eds.) Kluwer Academic Publishers, Dordrecht, pp. 383-388.
159. Thöny-Meyer, L., Künzler, P., and Hennecke, H. (1996)  
Requirements for maturation of *Bradyrhizobium japonicum* cytochrome *c*<sub>550</sub> in *Escherichia coli*.  
*Eur. J. Biochem.* **235**, 754-761.
160. Babst, M., Hennecke, H., and Fischer, H.M. (1996)  
Two different mechanisms are involved in the heat shock regulation of chaperonin gene expression in *Bradyrhizobium japonicum*.  
*Mol. Microbiol.* **19**, 827-839.



161. Preisig, O., Zufferey, R., Thöny-Meyer, L., Appleby, C.A., and Hennecke, H. (1996)  
A high-affinity *cbb<sub>3</sub>*-type cytochrome oxidase terminates the symbiosis-specific respiratory chain of *Bradyrhizobium japonicum*.  
J. Bacteriol. **178**, 1532-1538.
162. Weidenhaupt, M., Rossi, P., Beck, C., Fischer, H.-M., and Hennecke, H. (1996)  
*Bradyrhizobium japonicum* possesses two discrete sets of electron transfer flavoprotein genes: *fixA*, *fixB* and *etfS*, *etfL*.  
Arch. Microbiol. **165**, 169-178.
163. Zufferey, R., Preisig, O., Hennecke, H., and Thöny-Meyer, L. (1996)  
Assembly and function of the cytochrome *cbb<sub>3</sub>* oxidase subunits in *Bradyrhizobium japonicum*.  
J. Biol. Chem. **271**, 9114-9119.
164. Preisig, O., Zufferey, R., and Hennecke, H. (1996)  
The *Bradyrhizobium japonicum* *fixGHIS* genes are required for the formation of the high-affinity *cbb<sub>3</sub>*-type cytochrome oxidase.  
Arch. Microbiol. **165**, 297-305.
165. Narberhaus, F., Weiglhofer, W., Fischer, H.-M., and Hennecke, H. (1996)  
The *Bradyrhizobium japonicum* *rpoH<sub>1</sub>* gene encoding a  $\sigma^{32}$ -like protein is part of a unique heat shock gene cluster together with *groESL<sub>1</sub>* and three small heat shock genes.  
J. Bacteriol. **178**, 5337-5346.
166. Zufferey, R., Thöny-Meyer, L., and Hennecke, H. (1996)  
Histidine 131, not histidine 43, of the *Bradyrhizobium japonicum* FixN protein is exposed towards the periplasm and essential for the function of the *cbb<sub>3</sub>*-type cytochrome oxidase.  
FEBS Lett. **394**, 349-352.
167. Lechler, A., Keller, B., Hennecke, H., and Kreutzer, R. (1996)  
Overproduction of phenylalanyl-tRNA synthetase from *Thermus thermophilus* HB8 in *Escherichia coli*.  
Protein Express. Purif. **8**, 347-357.
168. Beck, C., Marty, R., Kläusli, S., Hennecke, H., and Göttfert, M. (1997)  
Dissection of the transcription machinery for housekeeping genes of *Bradyrhizobium japonicum*.  
J. Bacteriol. **179**, 364-369.
169. Fabianek, R.A., Huber-Wunderlich, M., Glockshuber, R., Künzler, P., Hennecke, H., and Thöny-Meyer, L. (1997)  
Characterization of the *Bradyrhizobium japonicum* CycY protein, a membrane-anchored periplasmic thioredoxin that may play a role as a reductant in the biogenesis of *c*-type cytochromes.  
J. Biol. Chem. **272**, 4467-4473.
170. Minder, A.C., Narberhaus, F., Babst, M., Hennecke, H., and Fischer, H.M. (1997)  
The *dnaKJ* operon belongs to the  $\sigma^{32}$ -regulated class of heat shock genes in *Bradyrhizobium japonicum*.  
Mol. Gen. Genet. **254**, 195-206.

171. Hennecke, H., Babst, M., Fischer, H.M., Kaspar, T., Kullik, I., Nellen-Anthamatten, D., Preisig, O., Rossi, P., Schneider, K., Thöny-Meyer, L. and Zufferey, R. (1997) Genetic regulation and bioenergetics of symbiotic nitrogen fixation in *Bradyrhizobium japonicum*. In: Biological Fixation of Nitrogen for Ecology and Sustainable Agriculture (A. Legocki, H. Bothe, and A. Pühler, eds.) Springer-Verlag, Heidelberg, pp. 233-236.
172. Narberhaus, F., Krummenacher, P., Fischer, H.M., and Hennecke, H. (1997) Three disparately regulated genes for  $\sigma^{32}$ -like transcription factors in *Bradyrhizobium japonicum*. Mol. Microbiol. **24**, 93-104.
173. Rossmann, R., Stern, D., Loferer, H., Jacobi, A., Glockshuber, R. and Hennecke, H. (1997) Replacement of Pro109 by His in TlpA, a thioredoxin-like protein from *Bradyrhizobium japonicum*, alters its redox potential but not its *in vivo* functions. FEBS Lett. **406**, 249-254.
174. Zufferey, R., Hennecke, H., and Thöny-Meyer, L. (1997) Heme C incorporation into the *c*-type cytochromes FixO and FixP is essential for assembly of the *Bradyrhizobium japonicum cbb3*-type oxidase. FEBS Lett. **412**, 75-78.
175. Göttfert, M., Kündig, C., and Hennecke, H. (1997) *Bradyrhizobium japonicum* chromosome map. In: Bacterial Genomes: Physical Structure and Analysis (F.J. de Bruijn, J.R. Lupski and G.M. Weinstock, eds.) Chapman and Hall, New York - London, pp. 625-628.
176. Bauer, E., Kaspar, T., Panglungtshang, K., Emmerich, R., Fischer, H.-M., and Hennecke, H. (1997) A two-component regulatory system ensures *nifA* expression in *Bradyrhizobium japonicum*. In: Biological Nitrogen Fixation for the 21st Century (C. Elmerich, A. Kondorosi, and W.E. Newton, eds.), Kluwer Academic Publishers, Dordrecht, The Netherlands, pp. 135-136.
177. Hennecke, H. (1997) Rhizobial respiration to support symbiotic nitrogen fixation. In: Biological Nitrogen Fixation for the 21st Century (C. Elmerich, A. Kondorosi, and W.E. Newton, eds.) Kluwer Academic Publishers, Dordrecht, The Netherlands, pp. 429-434.
178. Narberhaus, F., Weiglhofer, W., Fischer, H.-M., and Hennecke, H. (1998) Identification of the *Bradyrhizobium japonicum degP* gene as part of an operon containing small heat shock protein genes. Arch. Microbiol. **169**, 89-97.
179. Zufferey, R., Arslan, E., Thöny-Meyer, L., and Hennecke, H. (1998) How replacements of the twelve conserved histidines of subunit I affect assembly, cofactor binding and enzymatic activity of the *Bradyrhizobium japonicum cbb3*-type oxidase. J. Biol. Chem. **273**, 6452-6459.
180. Fabianek, R.A., Hennecke, H., and Thöny-Meyer, L. (1998) The active-site cysteines of the periplasmic thioredoxin-like protein CcmG of *Escherichia coli* are important but not essential for cytochrome *c* maturation *in vivo*. J. Bacteriol. **180**, 1947-1950.

181. Narberhaus, F., Käser, R., Nocker, A., and Hennecke, H. (1998)  
A novel DNA element that controls bacterial heat shock gene expression.  
*Mol. Microbiol.* **28**, 315-323.
182. Narberhaus, F., Kowarik, M., Beck, C., and Hennecke, H. (1998)  
Promoter selectivity of the *Bradyrhizobium japonicum* RpoH transcription factors in vivo and in vitro.  
*J. Bacteriol.* **180**, 2395-2401.
183. Minder, A.C., Narberhaus, F., Fischer, H.-M., and Hennecke, H. (1998)  
The *Bradyrhizobium japonicum* *phoB* gene is required for phosphate limited growth but not for symbiotic nitrogen fixation.  
*FEMS Microbiol. Lett.* **161**, 47-52.
184. Bauer, E., Kaspar, T., Fischer, H.-M., and Hennecke, H. (1998)  
Expression of the *fixRnifA* operon in *Bradyrhizobium japonicum* depends on a new response regulator, RegR.  
*J. Bacteriol.* **180**, 3853-3863.
185. Schulz, H., Hennecke, H., and Thöny-Meyer, L. (1998)  
Prototype of a heme chaperone essential for cytochrome *c* maturation.  
*Science* **281**, 1197-1200.
186. Nellen-Anthamatten, D., Rossi, P., Preisig, O., Kullik, I., Babst, M., Fischer, H.M., and Hennecke, H. (1998)  
*Bradyrhizobium japonicum* FixK<sub>2</sub>, a crucial distributor in the FixLJ-dependent regulatory cascade for control of genes inducible by low oxygen levels.  
*J. Bacteriol.* **180**, 5251-5255.
187. Seebach, D., Abele, S., Schreiber, J.V., Martinoni, B., Nussbaum, A.K., Schild, H., Schulz, H., Hennecke, H., Woessner, R., and Bitsch, F. (1998)  
Biological and pharmacokinetic studies with  $\beta$ -peptides.  
*Chimia* **52**, 734-739.
188. Fischer, H.M., Babst, M., Schneider, K., and Hennecke, H. (1999)  
GroEL chaperonins are required for the formation of a functional nitrogenase in *Bradyrhizobium japonicum*.  
*Arch. Microbiol.* **171**, 279-289.
189. Fischer, H.M., Bauer, E., Emmerich, R., Minder, A., Narberhaus, F., Schaeren, S., Zingg, D., and Hennecke, H. (1999)  
Integration of regulatory networks for different physiological functions in *Bradyrhizobium japonicum*.  
In: Highlights of Nitrogen Fixation Research (E. Martinez and G. Hernandez, eds.) Plenum Publishing Corporation, New York, pp. 189-194.
190. Schulz, H., Fabianek, R.A., Pelliccioli, E.C., Hennecke, H., and Thöny-Meyer, L. (1999)  
Heme transfer to the heme chaperone CcmE during cytochrome *c* maturation requires the CcmC protein that may function independently of the ABC-transporter CcmAB.  
*Proc. Natl. Acad. Sci. USA* **96**, 6462-6467.

191. Emmerich, R., Panglungtshang, K., Strehler, P., Hennecke, H., and Fischer, H.M. (1999) Phosphorylation, dephosphorylation and DNA binding of the *Bradyrhizobium japonicum* RegSR two-component regulatory proteins. Eur. J. Biochem. **263**, 455-463.
192. Thöny-Meyer, L., Fabianek, R.A., Schulz, H., Enggist, E., and Hennecke, H. (1999) Biosynthese von Cytochrom *c* in *Escherichia coli*. Biospektrum **5**, 185-191.
193. Dainese-Hatt, P., Fischer, H.-M., Hennecke, H., and James, P. (1999) Classifying symbiotic proteins from *Bradyrhizobium japonicum* into functional groups by proteome analysis of altered gene expression levels. Electrophoresis **20**, 3514-3520.
194. Narberhaus, F., Urech, C., and Hennecke, H. (1999) Characterization of the *Bradyrhizobium japonicum* *ftsH* gene and its product. J. Bacteriol. **181**, 7394-7397.
195. Minder, A.C., Fischer, H.M., Hennecke, H., and Narberhaus, F. (2000) Role of HrcA and CIRCE in the heat shock regulatory network of *Bradyrhizobium japonicum*. J. Bacteriol. **182**, 14-22.
196. Nienaber, A., Huber, A., Göttfert, M., Hennecke, H., and Fischer, H.M. (2000) Three new NifA-regulated genes in the *Bradyrhizobium japonicum* symbiotic gene region discovered by competitive DNA-RNA hybridization. J. Bacteriol. **182**, 1472-1480.
197. Arslan, E., Kannt, A., Thöny-Meyer, L., and Hennecke, H. (2000) The symbiotically essential *cbb<sub>3</sub>*-type oxidase of *Bradyrhizobium japonicum* is a proton pump. FEBS Lett. **470**, 7-10.
198. Hennecke, H. (2000) Verliert Forschung an Attraktivität? - Wehret den Anfängen! Kleine Schriften der ETH Nr. 40 (12 pp.)
199. Fabianek, R.A., Hennecke, H., and Thöny-Meyer, L. (2000) Periplasmic protein thiol:disulfide oxidoreductases of *Escherichia coli*. FEMS Microbiol. Rev. **24**, 303-316.
200. Urech, C., Koby, S., Oppenheim, A.B., Münchbach, M., Hennecke, H., and Narberhaus, F. (2000) Differential degradation of *Escherichia coli*  $\sigma^{32}$  and *Bradyrhizobium japonicum* RpoH factors by the FtsH protease. Eur. J. Biochem. **267**, 4831-4839.
201. Minder, A.C., Fischer, H.-M., Hennecke, H. and Narberhaus, F. (2000) Synthesis of chaperones and other heat shock proteins in *Bradyrhizobium japonicum*. In: Recent Research Developments in Microbiology Vol. 4 (S.G. Pandalai, ed.) Research Signpost, Trivandrum, India, pp. 123-130.

202. Emmerich, R., Strehler, P., Bauer, E., Fischer, H.-M., and Hennecke, H. (2000)  
Functional analysis of the *Bradyrhizobium japonicum* RegSR two-component regulatory system.  
In: Nitrogen Fixation: From Molecules to Crop Productivity (F.O. Pedrosa, M. Hungria, M.G. Yates, and W.E. Newton, eds.) Kluwer Academic Publishers, Dordrecht, The Netherlands, pp. 89-90.
203. Göttfert, M., Röthlisberger, S., and Hennecke, H. (2000)  
Analysis of the symbiotic gene region of *Bradyrhizobium japonicum*.  
In: Nitrogen Fixation: From Molecules to Crop Productivity (F.O. Pedrosa, M. Hungria, M.G. Yates, and W.E. Newton, eds.) Kluwer Academic Publishers, Dordrecht, The Netherlands, pp. 281-282.
204. Arslan, E., Kannt, A., Zufferey, R., Baumann, F., Thöny-Meyer, L., and Hennecke, H. (2000)  
The *cbb<sub>3</sub>*- and the putative *bd*-type terminal oxidases of *Bradyrhizobium japonicum*.  
In: Nitrogen Fixation: From Molecules to Crop Productivity (F.O. Pedrosa, M. Hungria, M.G. Yates, and W.E. Newton, eds.) Kluwer Academic Publishers, Dordrecht, The Netherlands, pp. 369-370.
205. Emmerich, R., Strehler, P., Hennecke, H., and Fischer, H.-M. (2000)  
An imperfect inverted repeat is critical for DNA binding of the response regulator RegR of *Bradyrhizobium japonicum*.  
Nucleic Acids Res. **28**, 4166-4171.
206. Emmerich, R., Hennecke, H., and Fischer, H.-M. (2000)  
Evidence for a functional similarity between the two-component regulatory systems RegSR, ActSR, and RegBA (PrrBA) in  $\alpha$ -proteobacteria.  
Arch. Microbiol. **174**, 307-313.
207. Fischer, H.-M., Velasco, L., Delgado, M.J., Bedmar, E., Schären, S., Zingg, D., Göttfert, M., and Hennecke, H. (2001)  
One of two *hemN* genes in *Bradyrhizobium japonicum* is functional during anaerobic growth and in symbiosis.  
J. Bacteriol. **183**, 1300-1311.
208. Göttfert, M., Röthlisberger, S., Kündig, C., Beck, C., Marty, R., and Hennecke, H. (2001)  
Potential symbiosis-specific genes uncovered by sequencing a 410-kb DNA region of the *Bradyrhizobium japonicum* chromosome.  
J. Bacteriol. **183**, 1405-1412.
209. Minder, A., de Rudder, K.E.E., Narberhaus, F., Fischer, H.-M., Hennecke, H., and Geiger, O. (2001)  
Phosphatidylcholine levels in *Bradyrhizobium japonicum* membranes are critical for an efficient symbiosis with the soybean host plant.  
Mol. Microbiol. **39**, 1186-1198.
210. Hennecke, H. (2001)  
Lizenz zum Einmischen.  
Meridian Newsletter des Collegium Helveticum No. **8**, 2-3.

211. Nienaber, A., Hennecke, H., and Fischer, H.-M. (2001)  
Discovery of a haem uptake system in the soil bacterium *Bradyrhizobium japonicum*.  
*Mol. Microbiol.* **41**, 787-800.
212. Capitani, G., Rossmann, R., Sargent, D. F., Grütter, M. G., Richmond, T. J., and Hennecke, H. (2001)  
Structure of the soluble domain of a membrane-anchored thioredoxin-like protein from *Bradyrhizobium japonicum* reveals unusual properties.  
*J. Mol. Biol.* **311**, 1037-1048.
213. Nocker, A., Hausherr, T., Balsiger, S., Krstulovic, N.-P., Hennecke, H., and Narberhaus, F. (2001)  
A mRNA-based thermosensor controls expression of rhizobial heat shock genes.  
*Nucleic Acids Res.* **29**, 4800-4807.
214. Fischer, H.-M., Sciotti, M.-A., and Hennecke, H. (2002)  
The network controlling symbiotic nitrogen fixation genes in *Bradyrhizobium japonicum*.  
In: *Nitrogen Fixation: Global Perspectives* (T.M. Finan, M.R. O'Brian, D.B. Layzell, J.K. Vessey, and W. Newton, eds.) CAB International Publishing, Oxon (UK) & New York (USA), pp. 213-217.
215. Krause, A., Doerfel, A., Schmid, C., Hennecke, H., Krishnan, H., and Göttfert, M. (2002)  
The type-III secretion system of *Bradyrhizobium japonicum*.  
In: *Nitrogen Fixation: Global Perspectives* (T.M. Finan, M.R. O'Brian, D.B. Layzell, J.K. Vessey, and W. Newton, eds.) CAB International Publishing, Oxon (UK) & New York (USA), pp. 288-292.
216. Caldelari Baumberger, I., Fraefel, N., Göttfert, M., and Hennecke, H. (2003)  
New NodW- or NifA-regulated *Bradyrhizobium japonicum* genes.  
*Mol. Plant-Microbe Interact.* **16**, 342-351.
217. Mesa, S., Bedmar, E.J., Chanfon, A., Hennecke, H., and Fischer, H.-M. (2003)  
*Bradyrhizobium japonicum* NnrR, a denitrification regulator, expands the FixLJ-FixK<sub>2</sub> regulatory cascade.  
*J. Bacteriol.* **185**, 3978-3982.
218. Sciotti, M.-A., Chanfon, A., Hennecke, H., and Fischer, H.-M. (2003)  
Disparate oxygen responsiveness of two regulatory cascades that control expression of symbiotic genes in *Bradyrhizobium japonicum*.  
*J. Bacteriol.* **185**, 5639-5642.
219. Göttfert, M., Hennecke, H., and Tabata, S. (2004)  
Facets of the *Bradyrhizobium japonicum* 110 genome.  
In: *Genomes and Genomics of Nitrogen-fixing Organisms* (R. Palacios and W. E. Newton, eds.) Kluwer Academic Publishers, Dordrecht, The Netherlands, pp. 99-112.
220. Hennecke, H. (2004)  
Regulation of rhizobial life in symbiosis.  
In: *Biology of Plant-Microbe Interactions*, Vol. 4 (I. Tikhonovich, B. Lugtenberg, and N. Provorov, eds.) Int. Soc. for Plant-Microbe Interact. Press, St. Paul (MN), U.S.A., pp. 411-415.

221. Hennecke, H. (2004)  
Symbiotisches Leben an der Grenze zur Anoxie: Ein “Systems Biology”-Problem *par excellence*.  
ETH-Bulletin No. **295** (Nov. 2004), 40-43.
222. Mesa, S., Ucurum, Z., Hennecke, H., and Fischer, H.-M. (2005)  
Transcription activation *in vitro* by the *Bradyrhizobium japonicum* regulatory protein FixK<sub>2</sub>.  
J. Bacteriol. **187**, 3329-3338.
223. Rudolph, G., Semini, G., Hauser, F., Lindemann, A., Friberg, M., Hennecke, H., and Fischer, H.-M. (2006)  
The iron control element (ICE), acting in positive and negative control of iron-regulated *Bradyrhizobium japonicum* genes, is a target for the Irr protein.  
J. Bacteriol. **188**, 733-744.
224. Hauser, F., Lindemann, A., Vuilleumier, S., Patrignani, A., Schlapbach, R., Fischer, H.-M., and Hennecke, H. (2006)  
Design and validation of a partial-genome microarray for transcriptional profiling of the *Bradyrhizobium japonicum* symbiotic gene region.  
Mol. Genet. Genomics **275**, 55-67.
225. Mesa, S., Hennecke, H., and Fischer, H.-M. (2006)  
A multitude of CRP/FNR-like transcription proteins in *Bradyrhizobium japonicum*.  
Biochem. Soc. Transact. **34**, 156-159.
226. Yang, J.H., Sangwan, I., Lindemann, A., Hauser, F., Hennecke, H., Fischer, H.-M., and O’Brian, M.R. (2006)  
*Bradyrhizobium japonicum* senses iron through the status of haem to regulate iron homeostasis and metabolism.  
Mol. Microbiol. **60**, 427-437.
227. Lindemann, A., Hauser, F., Pessi, G., Mesa, S., Fischer, H.-M., and Hennecke, H. (2006)  
The oxygen regulation network of *Bradyrhizobium japonicum*: new insights from genome-wide transcriptome analysis.  
In: Biology of Plant-Microbe Interactions, Vol. 5 (F. Sánchez, C. Quinto, I. M. López-Lara, and O. Geiger, eds.) Int. Soc. for Plant-Microbe Interact. Press, St. Paul (MN), U.S.A., pp. 120-125.
228. Rudolph, G., Hennecke, H., and Fischer, H.-M. (2006)  
Beyond the Fur paradigm: Iron-controlled gene expression in rhizobia.  
FEMS Microbiol. Rev. **30**, 631-648.
229. Hennecke, H. (2006)  
Symbiotisches Leben an der Grenze zur Anoxie.  
Leopoldina Jahrbuch 2005. Leopoldina Reihe 3, Vol. **51**, 369-374.
230. Hennecke, H. (2007)  
Department of Biology at ETH Zurich  
SWISS LABEL April 2007, 55-57.

231. Hauser, F., Pessi, G., Friberg, M., Weber, C., Rusca, N., Lindemann, A., Fischer, H.-M., and Hennecke, H. (2007)  
Dissection of the *Bradyrhizobium japonicum* NifA+ $\sigma^{54}$  regulon, and identification of a ferredoxin for symbiotic nitrogen fixation.  
Mol. Genet. Genomics **278**, 255-271.
232. Pessi, G., Ahrens, C.H., Rehrauer, H., Lindemann, A., Hauser, F., Fischer, H.-M., and Hennecke, H. (2007)  
Genome-wide transcript analysis of *Bradyrhizobium japonicum* bacteroids in soybean root nodules.  
Mol. Plant-Microbe Interact. **20**, 1353-1363.
232. Lindemann, A., Moser, A., Pessi, G., Hauser, F., Hennecke, H., and Fischer, H.-M. (2007)  
New target genes controlled by the *Bradyrhizobium japonicum* two-component regulatory system RegSR.  
J. Bacteriol. **189**, 8928-8943.
233. Mesa, S., Hauser, F., Friberg, M., Malaguti, E., Fischer, H.-M., and Hennecke, H. (2008)  
Comprehensive assessment of the regulons controlled by the FixLJ-FixK<sub>2</sub>-FixK<sub>1</sub> cascade in *Bradyrhizobium japonicum*.  
J. Bacteriol. **190**, 6568-6579.
234. Lang, K., Lindemann, A., Hauser, F., Hennecke, H., Zehner, S., and Göttfert, M. (2008)  
Genistein-dependent regulatory circuits in *Bradyrhizobium japonicum*.  
In: Biological Nitrogen Fixation: Towards Poverty Alleviation Through Sustainable Agriculture (F.D. Dakora, S.B.M. Chimphango, A.J. Valentine, C. Elmerich, and W.E. Newton, eds.) Springer Science & Business, Dordrecht, The Netherlands, pp. 241-242.
235. Mesa, S., Reutimann, L., Fischer, H.-M., and Hennecke, H. (2009)  
Post-translational control of transcription factor FixK<sub>2</sub>, a key regulator for the *Bradyrhizobium japonicum*-soybean symbiosis.  
Proc. Natl. Acad. Sci. USA **106**, 21860-21865.
236. Delmotte, N., Ahrens, C.H., Knief, C., Qeli, E., Koch, M., Fischer, H.-M., Vorholt, J.A., Hennecke, H., and Pessi, G. (2010)  
An integrated proteomics and transcriptomics reference dataset provides new insights into the *Bradyrhizobium japonicum* bacteroid metabolism in soybean root nodules.  
Proteomics **10**, 1391-1400.
237. Koch, M., Delmotte, N., Rehrauer, H., Vorholt, J.A., Pessi, G., and Hennecke, H. (2010)  
Rhizobial adaptation to hosts, a new facet in the legume root-nodule symbiosis.  
Mol. Plant-Microbe Interact. **23**, 784-790.
238. Bühler, D., Rossmann, R., Landolt, S., Balsiger, S., Fischer, H.-M., and Hennecke, H. (2010)  
Disparate pathways for the biogenesis of cytochrome oxidases in *Bradyrhizobium japonicum*.  
J. Biol. Chem. **285**, 15704-15713.
239. Reutimann, L., Mesa, S., and Hennecke, H. (2010)  
Autoregulation of *fixK<sub>2</sub>* gene expression in *Bradyrhizobium japonicum*.  
Mol. Genet. Genomics **284**, 25-32.



240. Lindemann, A., Koch, M., Pessi, G., Müller, A.J., Balsiger, S., Hennecke, H., and Fischer, H.-M. (2010)  
Host-specific symbiotic requirement of BdeAB, a RegR-controlled RND-type efflux system in *Bradyrhizobium japonicum*.  
FEMS Microbiol. Lett. **312**, 184-191.
241. Lindemann, A., Pessi, G., Schaefer, A.L., Mattmann, M.E., Christensen, Q.H., Kessler, A., Hennecke, H., Blackwell, H.E., Greenberg, E.P., and Harwood, C.S. (2011)  
Quorum sensing in the soybean symbiont *Bradyrhizobium japonicum*: identification of isovaleryl-homoserine lactone, an unusual branched-chain signal.  
Proc. Natl. Acad. Sci. USA **108**, 16765-16770.
242. Huwiler, S.G., Beyer, C., Fröhlich, J., Hennecke, H., Egli, T., Schuermann, D., Rehrauer, H., and Fischer, H.M. (2012)  
Genome-wide transcription analysis of *Escherichia coli* in response to extremely low-frequency magnetic fields.  
Bioelectromagnetics **33**, 488-496.
243. Murset, V., Hennecke, H., and Pessi, G. (2012)  
Disparate role of rhizobial ACC deaminase in root-nodule symbioses.  
Symbiosis **57**, 43-50.
244. Masloboeva, N., Reutimann, L., Stiefel, P., Follador, R., Leimer, N., Hennecke, H., Mesa, S., and Fischer, H.M. (2012)  
Reactive oxygen species-inducible ECF  $\sigma$  factors of *Bradyrhizobium japonicum*.  
PLoS ONE 7(8): e43421. doi:10.1371/journal.pone.0043421
245. Serventi, F., Youard, Z.A., Murset, V., Huwiler, S., Bühler, D., Richter, M., Luchsinger, R., Fischer, H.M., Brogioli, R., Niederer, M., and Hennecke, H. (2012)  
Copper starvation-inducible protein for cytochrome oxidase biogenesis in *Bradyrhizobium japonicum*.  
J. Biol. Chem. **287**, 38812-38823.
246. Mohorko, E., Abicht, H.K., Bühler, D., Glockshuber, R., Hennecke, H. and Fischer, H.M. (2012)  
Thioredoxin-like protein TlpA from *Bradyrhizobium japonicum* is a reductant for the copper metallochaperone ScoI.  
FEBS Lett. **586**, 4094-4099.
247. Bonnet, M., Stegmann, M., Maglica, Z., Stiegeler, E., Weber-Ban, E., Hennecke, H., and Mesa, S. (2013)  
FixK<sub>2</sub>, a key regulatory protein from *Bradyrhizobium japonicum*, is a direct substrate for the protease ClpAP *in vitro*.  
FEBS Lett. **587**, 88-93.
248. Bonnet, M., Kurz, M., Mesa, S., Briand, C., Hennecke, H., and Grütter, M.G. (2013)  
The structure of *Bradyrhizobium japonicum* transcription factor FixK<sub>2</sub> unveils sites of DNA binding and oxidation.  
J. Biol. Chem. **288**, 14238-14246.

249. Hennecke, H., Kjelleberg, S., and Brussaard, C. (2013)  
Molecular insights into environmental microbes (Editorial).  
FEMS Microbiol. Rev. **37**, 285.
250. Koch, M., Delmotte, N., Ahrens, C.H., Omasits, U., Schneider, K., Danza, F., Padhi, B., Murset, V., Braissant, O., Vorholt, J.A., Hennecke, H., and Pessi, G. (2014)  
A link between arabinose utilization and oxalotrophy in *Bradyrhizobium japonicum*.  
Appl. Environ. Microbiol. **80**, 2094-2101.
251. Abicht, H.K., Schärer, M.A., Quade, N., Ledermann, R., Mohorko, E., Capitani, G., Hennecke, H., and Glockshuber, R. (2014)  
How periplasmic thioredoxin TlpA reduces bacterial copper chaperone ScoI and cytochrome oxidase subunit II (CoxB) prior to metallation.  
J. Biol. Chem. **289**, 32431-32444.
252. Youard, Z.A., Abicht, H.K., Mohorko, E., Serventi, F., Rigozzi, E., Ledermann, R., Fischer, H.M., Glockshuber, R., and Hennecke, H. (2015)  
A plethora of terminal oxidases and their biogenesis factors in *Bradyrhizobium japonicum*.  
In: Biological Nitrogen Fixation, Vol. 1 (F.J. de Bruijn, ed.) John Wiley & Sons Inc., pp. 293-305.
253. Masloboeva, N., Hennecke, H., and Fischer, H.M. (2015)  
Rhizobial extracytoplasmic-function (ECF)  $\sigma$  factors and their role in oxidative stress response of *Bradyrhizobium japonicum*.  
In: Biological Nitrogen Fixation, Vol. 1 (F.J. de Bruijn, ed.) John Wiley & Sons Inc., pp. 307-314.
254. Masuda, S., Hennecke, H., and Fischer, H.M. (2017)  
Requirements for efficient thiosulfate oxidation in *Bradyrhizobium diazoefficiens*.  
Genes **2017**, 8, 390; doi:10.3390/genes8120390.
255. Canonica, F., Klose, D., Ledermann, R., Sauer, M.M., Abicht, H.K., Quade, N., Gossert, A.D., Chesnov, S., Fischer, H.M., Jeschke, G., Hennecke, H., and Glockshuber, R. (2019)  
Structural basis and mechanism for metallochaperone-assisted assembly of the Cu<sub>A</sub> center in cytochrome oxidase.  
Science Adv. **5**:eaaw8478; doi: 10.1126/sciadv.aaw8478.
256. Canonica, F., Hennecke, H., and Glockshuber, R. (2019)  
Biochemical pathway for the biosynthesis of the Cu<sub>A</sub> center in bacterial cytochrome *c* oxidase.  
FEBS Lett. **593**, 2977-2989.
257. Canonica, F., Glockshuber, R., and Hennecke, H. (2019)  
Assemblierung des Cu<sub>A</sub>-Zentrums in bakterieller Cytochrom-Oxidase.  
BIOspektrum **06.19**, 25. Jahrgang, 603-606.

**PART B: Other Publications from the Hennecke Group** (group members underlined)

1. Fischer, H.-M. (1986)  
Molekulare Biologie der symbiontischen N<sub>2</sub> Fixierung.  
Swiss Biotech. **4**, 43-47.
2. Hahn, M., and Studer, D. (1986)  
Competitiveness of a *nif*<sup>-</sup> *Bradyrhizobium japonicum* mutant against the wild-type strain.  
FEMS Microbiol. Lett. **33**, 143-148.
3. Hahn, M. and Kaluza, K. (1986)  
Modern techniques in the mutagenesis of bacterial genes.  
Swiss Biotech. **4**(No.3a), 33-35.
4. Fischer, H.-M. (1986)  
Molecular biology of symbiotic N<sub>2</sub> fixation.  
Swiss Biotech. **4**(No.3a), 29-32.
5. Studer, D., Michel, M., and Müller, M. (1988)  
Cryofixation of plant tissue by high pressure freezing.  
Inst. Phys. Conf. Ser. **93**(Vol. 1), 19-20.
6. Gubler, M. (1989)  
Fine-tuning of *nif* and *fix* gene expression by upstream activator sequences in  
*Bradyrhizobium japonicum*.  
Mol. Microbiol. **3**, 149-159.
7. Sonnewald, U., Studer, D., Rocha-Sosa, M., and Willmitzer, L. (1989)  
Immunocytochemical localization of patatin, the major glycoprotein in potato (*Solanum tuberosum* L.) tubers.  
Planta **178**, 176-183.
8. Göttfert, M. (1990)  
Signalmoleküle in der *Rhizobium*-Leguminosen Interaktion.  
Forum Mikrobiologie **13**, 546-551.
9. Ramseier, T.M. and Göttfert, M. (1991)  
Codon usage and G+C content in *Bradyrhizobium japonicum* genes are not uniform.  
Arch. Microbiol. **156**, 270-276.
10. Göttfert, M. (1993)  
Regulation and function of rhizobial nodulation genes.  
FEMS Microbiol. Rev. **104**, 39-64.
11. Göttfert, M. (1993)  
Eine konservierte Export/Import-Proteinfamilie in Pro- und Eukaryonten.  
BioEngineering **9**(5), 66-71.
12. Kast, P. (1994)  
pKSS - A second-generation general purpose cloning vector for efficient positive selection  
of recombinant clones.  
Gene **138**, 109-114.

13. Fischer, H.M. (1994)  
Genetic regulation of nitrogen fixation in rhizobia.  
*Microbiol. Rev.* **58**, 352-386.
14. Dockendorff, T.C., Sanjuan, J., Grob, P., and Stacey, G. (1994)  
NolA represses *nod* gene expression in *Bradyrhizobium japonicum*.  
*Mol. Plant-Microbe Interact.* **7**, 596-602.
15. Ibba, M. (1996)  
Strategies for *in vitro* and *in vivo* translation with non-natural amino acids.  
In: *Biotechnol. Genet. Eng. Rev.* Vol. 13, Intercept Ltd., Andover, Hampshire, UK, pp. 197-216.
16. Fischer, H.-M. (1996)  
Environmental regulation of rhizobial symbiotic nitrogen fixation genes.  
*Trends Microbiol.* **4**, 317-320.
17. Thöny-Meyer, L. and Künzler, P. (1996)  
The *Bradyrhizobium japonicum* aconitase gene (*acnA*) is important for free-living growth but not for an effective root-nodule symbiosis.  
*J. Bacteriol.* **178**, 6166-6172.
18. Hahn, M., Neef, U., Struck, C., Göttfert, M., and Mendgen, K. (1997)  
A putative amino acid transporter is specifically expressed in haustoria of the rust fungus *Uromyces fabae*.  
*Mol. Plant-Microbe Interact.* **10**, 438-445.
19. Thöny-Meyer, L. and Künzler, P. (1997)  
Translocation to the periplasm and signal sequence cleavage of preapocytochrome *c* depend on *sec* and *lep*, but not on the *ccm* gene products.  
*Eur. J. Biochem.* **246**, 794-799.
20. Throne-Holst, M., Thöny-Meyer, L., and Hederstedt, L. (1997)  
*Escherichia coli* *ccm* in-frame deletion mutants can produce periplasmic cytochrome *b* but not cytochrome *c*.  
*FEBS Lett.* **410**, 351-355.
21. Thöny-Meyer, L. (1997)  
Biogenesis of respiratory cytochromes in bacteria.  
*Microbiol. Mol. Biol. Rev.* **61**, 337-376.
22. Thurner, C., Vela, C., Thöny-Meyer, L., Meile, L., and Teuber, M. (1997)  
Biochemical and genetic characterization of the acetaldehyde dehydrogenase complex from *Acetobacter europaeus*.  
*Arch. Microbiol.* **168**, 81-91.
23. Palacios, R., Boistard, P., Davila, G., Fonstein, M., Göttfert, M., Perret, X., Ronson, C., and Sobral, B. (1997)  
Genome structure in nitrogen-fixing organisms.  
In: *Biological Nitrogen Fixation for the 21st Century* (C. Elmerich, A. Kondorosi, and W.E. Newton, eds.), Kluwer Academic Publishers, Dordrecht, The Netherlands, pp. 541-547.

24. Loferer, H. (1997)  
*Bradyrhizobium japonicum* TlpA.  
In: Guidebook to Molecular Chaperones and Protein-Folding Catalysts (M.-J. Gething, ed.)  
Oxford University Press, Oxford, pp. 332-335.
25. Arslan, E., Schulz, H., Zufferey, R., Künzler, P., and Thöny-Meyer, L. (1998)  
Overproduction of the *Bradyrhizobium japonicum* c-type cytochrome subunits of the *cbb<sub>3</sub>*  
oxidase in *Escherichia coli*.  
Biochem. Biophys. Res. Commun. **251**, 744-747.
26. Münchbach, M., Nocker, A., and Narberhaus, F. (1999)  
Multiple small heat shock proteins in rhizobia.  
J. Bacteriol. **181**, 83-90.
27. Narberhaus, F. (1999)  
Negative regulation of bacterial heat shock genes.  
Mol. Microbiol. **31**, 1-8.
28. Fabianek, R.A., Hofer, T., and Thöny-Meyer, L. (1999)  
Characterization of the *Escherichia coli* CcmH protein reveals new insights into the redox  
pathway required for cytochrome *c* maturation.  
Arch. Microbiol. **171**, 92-100.
29. Reincke, B., Thöny-Meyer, L., Dannehl, C., Odenwald, A., Aidim, M., Witt, H., Rüterjans,  
H., and Ludwig, W. (1999)  
Heterologous expression of soluble fragments of cytochrome *c*<sub>552</sub> acting as electron donor to  
the *Paracoccus denitrificans* cytochrome *c* oxidase.  
Biochim. Biophys. Acta **1411**, 114-120.
30. Münchbach, M., Dainese, P., Staudenmann, W., Narberhaus, F., and James, P. (1999)  
Proteome analysis of heat shock protein expression in *Bradyrhizobium japonicum*.  
Eur. J. Biochem. **264**, 39-48.
31. Narberhaus, F. (1999)  
Die bakterielle Hitzeschock-Antwort: Viele Wege führen zum Ziel.  
Biospektrum **5**, 292-293.
32. Krummenacher, P. and Narberhaus, F. (2000)  
Two genes encoding a putative multidrug efflux pump of the RND/MFP family are  
cotranscribed with an *rpoH* gene in *Bradyrhizobium japonicum*.  
Gene **241**, 247-254.
33. Studer, S. and Narberhaus, F. (2000)  
Chaperone activity and homo- and heterooligomer formation of bacterial small heat-shock  
proteins.  
J. Biol. Chem. **275**, 37212-37218.
34. Bertani, D., Oppenheim, A. B., and Narberhaus, F. (2000)  
An internal region of the RpoH heat shock transcription factor is critical for rapid  
degradation by the FtsH protease.  
FEBS Lett. **493**, 17-20.

35. Nocker, A., Krstulovic, N.-P., Perret, X. and Narberhaus, F. (2001)  
ROSE elements occur in disparate rhizobia and are functionally interchangeable between species.  
Arch. Microbiol. **176**, 44-51.
36. Narberhaus, F. (2002)  
 $\alpha$ -Crystallin-type heat shock proteins: Socializing minichaperones in the context of a multichaperone network.  
Microbiol. Mol. Biol. Rev. **66**, 64-93.
37. Studer, S., Obrist, M., Lentze, N., and Narberhaus, F. (2002)  
A critical motif for oligomerization and chaperone activity of bacterial  $\alpha$ -heat shock proteins.  
Eur. J. Biochem. **269**, 3578-3586.
38. Narberhaus, F. (2002)  
mRNA-mediated detection of environmental conditions.  
Arch. Microbiol. **178**, 404-410.
39. Narberhaus, F. and Balsiger, S. (2003)  
Structure-function studies of *Escherichia coli* RpoH ( $\sigma^{32}$ ) by in-vitro linker insertion mutagenesis.  
J. Bacteriol. **185**, 2731-2738.
40. Lentze, N., Studer, S., and Narberhaus, F. (2003)  
Structural and functional defects caused by point mutations in the  $\alpha$ -crystallin domain of a bacterial  $\alpha$ -heat shock protein.  
J. Mol. Biol. **328**, 927-937.
41. Chowdhury, S., Ragaz, C., Kreuger, E., and Narberhaus, F. (2003)  
Temperature-controlled structural alterations of an RNA thermometer.  
J. Biol. Chem. **278**, 47915-47921.
42. Narberhaus, F. and Haslbeck, M. (2004)  
Small heat shock proteins: Dynamic players in the folding game.  
In: Protein Folding Handbook (J. Buchner and T. Kiefhaber, eds.), Wiley-VCH, Weinheim, Germany, pp. 830-857.
43. Lentze, N., Aquilina, A., Lindbauer, M., Robinson, C.V., and Narberhaus, F. (2004)  
Temperature and concentration-controlled dynamics of rhizobial small heat shock proteins.  
Eur. J. Biochem. **271**, 2494-2503.
44. Balsiger, S., Ragaz, C., Baron, C., and Narberhaus, F. (2004)  
Replicon-specific regulation of small heat-shock genes in *Agrobacterium tumefaciens*.  
J. Bacteriol. **186**, 6824-6829.
45. Lentze, N. and Narberhaus, F. (2004)  
Detection of oligomerisation and substrate recognition sites of small heat shock proteins by peptide arrays.  
Biochem. Biophys. Res. Commun. **325**, 401-407.

46. Mesa, S., Alche, J.D., Bedmar, E.J., and Delgado, M.J. (2004)  
Expression of *nir*, *nor* and *nos* denitrification genes from *Bradyrhizobium japonicum* in soybean root nodules.  
*Physiologia Plantarum* **120**, 205-211.
47. Velasco, L., Mesa, S., Xu, C.A., Delgado, M.J., and Bedmar, E.J. (2004)  
Molecular characterization of *nosRZDFYLX* genes coding for denitrifying nitrous oxide reductase of *Bradyrhizobium japonicum*.  
*Antonie van Leeuwenhoek Int. J. Gen. Mol. Microbiol.* **85**, 229-235.
48. Lentze, N. and Narberhaus, F. (2005)  
Small heat shock proteins, a subgroup of molecular chaperones.  
*J. Biol. Sci.* **5**, 1-9.
49. Obrist, M. and Narberhaus, F. (2005)  
Identification of a turnover element in region 2.1 of *Escherichia coli*  $\sigma^{32}$  by a bacterial one-hybrid approach.  
*J. Bacteriol.* **187**, 3807-3813.
50. Narberhaus, F., Waldminghaus, T., and Chowdhury, S. (2006)  
RNA thermometers.  
*FEMS Microbiol. Rev.* **30**, 3-16.
51. Chowdhury, S., Maris, C., Allain, F. H.-T., and Narberhaus, F. (2006)  
Molecular basis for temperature sensing by an RNA thermometer.  
*EMBO J.* **25**, 2487-2497.
52. Monza, J., Irisarri, P., Az, P.D., Delgado, M.J., Mesa, S., and Bedmar, E.J. (2006)  
Denitrification ability of rhizobial strains isolated from *Lotus* sp.  
*Antonie van Leeuwenhoek Int. J. Gen. Mol. Microbiol.* **89**, 479-484.
53. Obrist, M., Milek, S., Klauck, E., Hengge, R., and Narberhaus, F. (2007)  
Region 2.1 of the *Escherichia coli* heat-shock sigma factor RpoH ( $\sigma^{32}$ ) is necessary but not sufficient for degradation by the FtsH protease.  
*Microbiology* **153**, 2560-2571.
54. Lang, K., Lindemann, A., Hauser, F., and Göttfert, M. (2008)  
The genistein stimulon of *Bradyrhizobium japonicum*.  
*Mol. Genet. Genomics* **279**, 203-211.
55. Hacker, S., Gödecke, J., Lindemann, A., Mesa, S., Pessi, G., and Narberhaus, F. (2008)  
Global consequences of phosphatidylcholine reduction in *Bradyrhizobium japonicum*.  
*Mol. Genet. Genomics* **280**, 59-72.
56. Obrist, M., Langklotz, S., Milek, S., Führer, F., and Narberhaus, F. (2008)  
Region C of the *Escherichia coli* heat-shock sigma factor RpoH ( $\sigma^{32}$ ) contains a turnover element for proteolysis by the FtsH protease.  
*FEMS Microbiol. Lett.* **290**, 199-208.

57. Gourion, B., Sulser, S., Frunzke, J., Francez-Charlot, A., Stiefel, P., Pessi, G., Vorholt, J.A., and Fischer, H.-M. (2009)  
The PhyR- $\sigma^{\text{EcfG}}$  signaling cascade is involved in stress response and symbiotic efficiency in *Bradyrhizobium japonicum*.  
Mol. Microbiol. **73**, 291-305.
58. Bueno, E., Mesa, S., Sanchez, C., Bedmar, E.J., and Delgado, M.J. (2010)  
NifA is required for maximal expression of denitrification genes in *Bradyrhizobium japonicum*.  
Environ. Microbiol. **12**, 393-400.
59. Arango Isaza, L., Opelt, K., Wagner, T., Mattes, E., Bieber, E., Hatley, E.O., Roth, G., Sanjuán, J., Fischer, H.M., Sandermann, H., Hartmann, A., and Ernst, D. (2011)  
Lack of glyphosate resistance gene transfer from Roundup Ready® Soybean to *Bradyrhizobium japonicum* under field and laboratory conditions.  
Z. Naturforsch. **66c**, 595-604.
60. Madhugiri, R., Pessi, G., Voss, B., Hahn, J., Sharma, C.M., Reinhardt, R., Vogel, J., Hess, W.R., Fischer, H.M., and Evguenieva-Hackenberg, E. (2012)  
Small RNAs of the *Bradyrhizobium/Rhodopseudomonas* lineage and their analysis.  
RNA Biology **9**, 47-58.
61. Stockwell, S.B., Reutimann, L., and Guerinot, M.L. (2012)  
A role for *Bradyrhizobium japonicum* ECF16 sigma factor, EcfS, in the formation of a functional symbiosis with soybean.  
Mol. Plant-Microbe Interact. **25**, 119-128.
62. Torres, M.J., Argandona, M., Vargas, C., Bedmar, E., Fischer, H.M., Mesa, M., Delgado, M.J. (2014)  
The global response regulator RegR controls expression of denitrification genes in *Bradyrhizobium japonicum*. PLoS One **9**(6), e99011.

(Entry # 62 terminates **PART B** of this publication list. There will be no further entries beyond 2014)



## **PART C: Patents**

1. Hennecke, H.  
*Nif* promoter of *Rhizobium japonicum*  
European Patent No. EPO164245, published December 11, 1985 (see also AU4342685, AU587978)
2. Hennecke, H., Scott, K.F., Shine, J., and Rolfe, B.G.  
*NifD* promoter of *Bradyrhizobium*  
U.S. Patent No. 5,001,061, issued March 19, 1991
3. Hennecke, H., Scott, K., Shine, J., and Rolfe, B.G.  
*NifH* promoters of *Bradyrhizobium*  
U.S. Patent No. 5,008,194, issued April 16, 1991
4. Appelbaum, E.R., Göttfert, M., Hennecke, H., and Lamb, J.W.  
*Bradyrhizobium japonicum* nodulation regulatory protein and gene.  
U.S. Patent No. 5,023,180, issued June 11, 1991 (see also WO8707910, AU7649587, EPO269725, AU607928)
5. Hennecke, H., Iismaa, S.E., Reiländer, H., Pühler, A., and Watson, J.M.  
Rhizobial ferredoxin genes.  
U.S. Patent No. 5,059,533, issued October 22, 1991
6. Hennecke, H. and Acuña, G.  
Integration vector for *Bradyrhizobium japonicum*.  
U.S. Patent No. 5,124,260, issued June 23, 1992
7. Hennecke, H. and Kast, P.  
L-Phenylalanyl-tRNA Synthetase mit erweiterter Substratspezifität aus Mikroorganismen.  
Gebrauchsmusteranmeldung in der BRD No. G91 15 660.2, filed July 30, 1992
8. Hennecke, H. and Kast, P.  
L-Phenylalanyl-tRNA synthetase mutants, a process for the preparation thereof and the use thereof for the *in vivo* incorporation of non-proteinogenous amino acids into peptides or proteins.  
U.S. Patent No. 5,370,995, issued December 6, 1994  
U.S. Patent No. 5,536,652, issued July 16, 1996  
(see also CA2059611, AU625963, JP5227951, JP3102944)

(Entry # 8 terminates **PART C** of this publication list; no further entries to be expected)